



**NOTICE TO CONTRACTORS
HIGHWAY CONSTRUCTION**

April 5, 2010

Sealed bids will be received in the Bid Room SA-19, located on the service level of the Department of Transportation, 310 Maple Park Avenue SE, Olympia, Washington, 98501 until 11:00:59 am Pacific Time, or at P.O. Box 47360, Olympia, Washington, 98504-7360, until 11:00:59 am Pacific Time or electronically via BidX.com until 11:00:59 am Pacific Time, on the dates shown below.

All bid proposals shall be accompanied by a bid proposal deposit in cash, certified check, cashier's check or surety bond in an amount equal to five percent (5%) of the amount of such bid proposal. Should the successful bidder fail to enter into a contract and furnish a satisfactory performance bond, the bid proposal deposit shall be forfeited.

Bonds submitted on other than the bond form provided by the department may be subject to rejection.

It is the Washington State Department of Transportation's (WSDOT) policy to assure that no person shall, on the grounds of race, color, national origin and sex, as provided by Title VI of the Civil Rights Act of 1964, be excluded from participation in, be denied the benefits of, or be otherwise discriminated against under any of its federally funded programs and activities. Any person, who believes his /her Title VI protection has been violated, may file a complaint with WSDOT's Office of Equal Opportunity (OEO). For Title VI complaint forms and advice, please contact OEO's Title VI Coordinator at (360) 705-7098.

WSDOT hereby gives public notice that it is the policy of the department to assure full compliance with Title VI of the Civil Rights Act of 1964, the Civil Rights Restoration Act of 1987, and related statutes and regulations in all programs and activities. Persons wishing information may call the Washington State Department of Transportation, Office of Equal Opportunity at (360) 705-7098.

The right is reserved to reject any and all bids and to waive informalities in the bidding.

Bidding proposal may not be issued to bidders unless they are prequalified, except where otherwise provided in Plans and Specification. For those contractors who are not prequalified, application for prequalification will be submitted on DOT Form 420-010 (Standard Questionnaire and Financial Statement) and must be received by the Prequalification Engineer no less than fifteen days prior to the scheduled bid opening to receive consideration for issuance of a bidding proposal for that bid opening.

Informational copies of plans and specifications are on file in the office of the County Engineer of the County in which the work is situated, the chapter offices of the Associated General Contractors of America in Seattle, Spokane, and Tacoma, and the offices of the Regional Administrators or the Headquarters of the Department of Transportation, where they may be inspected. The use of informational proposals shall be allowed only upon written request and will be accepted only when written authority for their use has been granted.

FEE

Project Documents will be furnished for the non-refundable fee of: **\$ 25.00 Plus Sales Tax**

(Remittance may be made to the Washington State Treasurer and sent to the address below).

TO ORDER PLANS AND SPECIFICATIONS PLEASE CALL (360) 705-7835 (from 8:00 am to 5:00 pm) or (360) 705-7014 (24-Hour Recording). To order by mail, the address is: Contract Ad & Award Administration Office, Washington State Department of Transportation, P.O. Box 47360, Olympia, WA 98504-7360. Current Bid Results are available through the Internet address below.

Electronic Project Plans, Specifications, Geotechnical Reports, Addenda, Planholders Lists, Award/Bid Status, and Bid Tabulations are available on the Internet at:

<http://www.wsdot.wa.gov/biz/contaa>

ESTIMATE RANGES PUBLISHED IN THIS NOTICE MUST NOT BE USED AS A BASIS FOR BID PREPARATION.

Americans with Disabilities Act (ADA) Information

If you would like copies of this document in an alternative format - large print, Braille, cassette tape, or on computer disk, please call Washington State Telecommunications Relay Service TT 1-800-833-6388, Tele-Braille 1-800-833-6385, Voice 1-800-833-6384, and ask to be connected to (360) 705-7097.

Individuals requiring reasonable accommodation may request written materials in alternate formats, sign language interpreters, physical accessibility accommodations, or other reasonable accommodation by contacting the event sponsor Dave Mariman 360-705-7017, usually 2 weeks before the bid opening. Persons with hearing impairments may call Washington State Telecommunications Relay Service TT 1-800-833-6388 Tele-Braille 1-800-833-6385, Voice 1-800-833-6384, and ask to be connected to the event sponsor's phone number.

BID OPENING WEDNESDAY, APRIL 14, 2010

- *1. (KING)**ALASKAN WAY VIADUCT – REPLACEMENT – S HOLGATE ST TO KING ST – STAGE**
** **2** (CL 1 or 6, \$125,000,000 - \$175,000,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 10%.**
*** F.A. No. PNRS-0099(096 & 097) on SR 99, MP 28.85 to MP 31.75. **CONTAINS APPRENTICE UTILIZATION REQUIREMENT: 15%.** Requires: Constructing bridges, utility relocation work, paving with HMA and cement concrete, constructing walls, demolishing the existing SR 99 elevated roadway, grading for railroad tracks, excavating and disposing of contaminated materials, pile work, pedestrian/bicycle shared use path, cement deep soil mixing, traffic control, traffic signal system and illumination work, pavement marking, guardrail, fencing, temporary water pollution and erosion control, traffic control and other work. 1560 Working days. Involves 195 items. 75319 CY rdwy excav incl haul, 54319 T gravel borrow incl haul, 3934 CY unstable base material backfill, 24441 CY geofam lightweight fill, 190203 T dispose contaminated material, 7 EA in-line water quality vault, 7643 LF SD CL V reinf conc storm sewer pipe, 399 LF st casing, 8889 LF storm sewer pipe, 109 EA manhole, 207 EA catch basin, 121110 CY struct excav CL A incl haul, 49033 CY soil excav incl haul 68010 LF furnish & place temp casing, 908 LF furnish perm casing, 78 EA place perm casing, 230 LF casing shoring, 10728 LF furnish conc piling, 56 EA drive conc pile, 2359 LF furnish st piling, 2121850 LB epoxy-coated st rebar, 11634831 LB st rebar, 175280 LF CSL access tube, 2831 CY lean conc, 9302 CY conc CL 4000D, 8760 CY conc CL 4000, 19175 CY conc CL 4000P, 65845 LF prestressed conc girder, 15572 SY waterproofing, 1015 SY bridge approach slab, 58 EA furnish st pile tip or shoe, 24090 T crushed surface base course, 4280 T railroad sub-ballast, 4962 CY cement conc pvmt, 10762 EA corrosion resistant dowel bar, 6836 CY COS cement conc pvmt incl dowels, 16898 T HMA CL 1/2 IN PG 64-22, 1168 T commercial HMA, 3 EA tire wash, 15117 LF temp conc barrier, 48 EA sch update, 1470 LF temp chain link security fence, 21610 SF shotcrete facing, 33 EA pumping well, 15 EA recharge well, 5300 CY pretrenching, 40200 CY CDSM panel, 5200 CY jet grout. **CONTAINS MINIMUM BID ITEMS: TYPE C PROGRESS SCH, HOURLY WAGE FOR OTHER TRAFFIC CONTROL LABOR AND FLAGGERS/SPOTTERS.** Lump Sum Bids for: Geotech instrumentation, water quality vault, pre-treatment vault, storm sewer plug, remove, abandon, flow splitter vault, grit storage chamber vault, shutoff valve manhole, PSD pump station, combined sewer sys in place, water sys in place, shoring or extra excav CL A, struct carbon st, struct low alloy st, column jacket, rdwy deck, retained fill approach walls, temp column support, overhead coiling door, metal grating, erosion control elements, port stormwater treatment facility, port process water treatment facility, temp drain, temp pvmt marking, perm signing, sign bridges, illum sys, temp illum sys, traffic signal sys, flashing beacon sys, CCTV, communication conduit sys, communication cable and interfaces, video, voice & data dist & trans sys, VMS, perm pvmt marking, temp traffic control, shoring, cure box, struct survey, rdwy & utility survey, fences & gates, clean exist drain struct, utility coordinator, adjust utility objects, OCR and kiosk sys, urban design elements, terminal 46 electrical, dewatering sys design, utility crossing cathodic protect, dewatering sys, 26KV underground sys in place, 26 KV overhead sys in place, fire protect sys, field office, poly conc trial overlay, SPCC plan. **SUPERSTRUCTURE INCLUDES:** 1597707 LB epoxy-coated st rebar, 330045 LB st rebar, 8088 CY conc CL 4000D, 1262 CY conc CL 4000, 432 LF expansion jnt sys strip seal, 291 EA elastomeric bearing pad, 286 EA elastomeric girder stop pad, 23212 LF conduit pipe, 15 EA bridge drain, pipes & support brackets, 8931 LF traffic barrier, 1224 LF median barrier, 84 LF median barrier trans, 15 EA longitudinal seismic restrainer, 950 LF safety net, 2 sets bridge drain grates, 90 LF expansion jnt sys, 262 LF bridge deck drain sys, 4 EA transverse stop bearing, 100 LF prestressed conc girder PCPS slab, 10230 LB stuct low alloy st, 13 LF expansion jnt sys silicone seal, 621 LF expansion jnt sys compression seal, 130 LF throw fence, 516 EA drill holes, 3 EA mod bridge drains, 4 EA plug exist drain.(XL-3237) (809936D)(09A803)(7847)(24 of 40)24)(10) **GEOTECH REPORT AVAILABLE AT:**
www.wsdot.wa.gov/biz/contaa

- *2. (KING) **160TH AVE SE TO COVINGTON CITY LIMITS – PAVING** (CL 4, \$1,250,000 - \$1,500,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 13%.** F.A. No. STPF-0516(021) on SR 516, MP 11.09 to MP 12.31. Requires: Planing and paving, pavement repair, crack sealing, permanent signing, pavement markings, curb ramps and modifications, traffic signal loops, erosion/water pollution control, traffic control and other work. 65 Working days. Involves 63 items. 311 CY rdwy excav incl haul, 212 T crushed surface base course, 43210 SY plane bit pvmt, 4841 T HMA CL 1/2 IN PG 64-22, 4393 LF plastic wide line, 9361 SF plastic crosswalk line, 41885 LF temp pvmt marking, 97 EA loop replace, 1000 HR contractor provided uniformed officer, 27 EA mod cement conc curb ramp. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Perm signing, temp video detection sys, electrical sys mod, temp traffic control, pedestrian control and protect, reference exist pvmt marking, rdwy survey, SPCC plan.(XL-3013)(151626P)(10A009)(7921)(4 of 4)
- *3. (COWLITZ & LEWIS) **SW REGION PAVEMENT MARKINGS** (CL 12, \$200,000 - \$250,000) F.A. No. IM-0051(282) on I-5, MP 50.12 to MP 64.85. Requires: Removing raised pavement markers, installing profiled plastic lane line & raised pavement markers, traffic control and other work. 20 Working days. Involves 9 items. 215880 LF profiled plastic line. Lump Sum Bids for: Temp traffic control, SPCC plan.(XL-3608)(400509P)(10X307)(7927)(3 of 3)
- *4. (SAN JUAN)**SHAW ISLAND FERRY TERMINAL DOLPHIN REPLACEMENT** (CL 6, \$2,000,000 - \$2,500,000) A State Project for Washington State Ferries. **CONTAINS APPRENTICE UTILIZATION REQUIREMENT: 15%.** Requires: Replacing two existing timber pile dolphins with two new steel dolphins and other work. 160 Working says. Involves 26 items. 70 CY conc CL 4000, 30 EA furnish st pile tip or shoe, 2313 LF furnish st piling, 840 LF fabricate st piling, 30 EA drive st pile, 7 EA furnish rock socket materials, 5 EA install rock socket, 9 EA marine fender, 9 EA UHMW polyethylene rubbing face. Lump Sum Bids for: Epoxy-coated st rebar, struct low alloy st, chain & hardware, temp protective dolphin, marine survey, bird deterrent sys, SPCC plan.(XL-3476)(900024F)(09W171)(7922)(3 of 3)
- *5. (KING) **SUNSET WAY CONNECTION INTERCHANGE MODIFICATIONS**
 ** (CL 1, \$1,500,000 - \$2,000,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 18%.** F.A. No. IM-0901(461) on I-90, Vicinity MP 18.06. Requires: Roadway widening, slope construction, stormwater pond re-configuration, sidewalk, curb and gutter construction, installation of guardrail, paving, drainage, signal improvements, permanent signing, pavement marking, planting, erosion control, traffic control and other work. 75 Working days. Involves 129 items. 19800 T gravel borrow incl haul, 10700 CY embankment comp, 2551 CY pond excav incl haul, 112 T light loose rip rap, 282 LF underdrain pipe, 838 LF sch A storm sewer pipe, 725 LF ductile iron pipe, 1020 SY conc liner, 2923 SY plane bit pvmt, 1854 T HMA CL 1/2 IN PG 64-22, 2444 SY plastic covering, 1079 LF silt fence, 1630 LF compost sock, 597 CY topsoil, 918 EA salal, 536 EA pacific willow, 805 EA red-osier dogwood, 364 EA slough sledge, 842 LF cement conc traffic curb, 532 LF beam guardrail, 1455 LF temp conc barrier, 4056 LF paint line, 3095 LF plastic wide line, 4595 LF temp pvmt marking, 3502 SF shoring or extra excav CL B, 231 SY cement conc sidewalk, 515 SY reinforced edge cement conc sidewalk, 662 LF pedestrian hand rail, 568 LF coated chain link fence. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum bids for: Dewatering sys, temp conveyance sys, perm signing, traffic signal sys, temp video detect sys, temp traffic control, pedestrian control & protect, rdwy survey, health and safety plan, SPCC plan. (XL-3321)(109061D)(09A032)(7917) (5 of 4)5)(3)

BID OPENING WEDNESDAY, APRIL 21, 2010

- *1. (KING) **BR 90/50N & SR 520/I-405 VICINITY SEISMIC RETROFIT** (CL 6, \$4,000,000 - \$5,000,000) **CONTAINS VOLUNTARY MWBE GOAL: 5%.** A State Project on SR 520, MP 6.90 to MP 8.83 and I-90 at MP 9.88. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Steel column jacket installation, girder stop, cross-beam bolster and infill wall construction, girder splicing, erosion control, traffic control and other work. 310 Working days. Involves 68 items. 980 SY stabilized const entrance, 1625 LF temp conc barrier, 1700 LF plastic line. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Shoring or extra excav CL A, seismic retrofit, column jacketing, illum sys, temp traffic control, pedestrian control and protect, health & safety plan, SPCC plan. **SEISMIC RETROFIT INCLUDES:** 123344 LBS st rebar, 684 CY conc CL 4000, 92 EA transverse girder stop pads, 4514 LF drill holes, 16 EA contracting agency provided elastomeric bearing pads, 1600 SF perm st sheet pile shoring, 1281 CY struct excav CL A incl haul, 1120 CY controlled density fill, 4386 SF expanded polystyrene, 56 CY selective demolition, 1 EA struct lift sys, 76 LF remove & replace precast traffic barrier, 55 LF perm

traffic barrier removal, 80 LF remove & replace cement conc traffic curb & gutter, 140 SY remove & replace cement conc sidewalk, 180 SY remove conc slope protect, 80 LF remove & replace catch basin, 40 LF remove and replace chain link fence. **COLUMN JACKETING INCLUDES:** 416 LF remove & replace underdrain, 917 CY struct excav CL A incl haul, 491 CY backfill, 1580 SF rock wall remove & replace, 163989 LBS struct st, 74 CY grout, 250 LF remove & replace cement conc sidewalk, 120 LF remove & replace cement conc traffic curb & gutter, 280 LF remove, store, replace metal railing, 448 LF remove & reset precast traffic barrier, 120 SY remove & replace cement conc sidewalk, 200 LF remove & reset beam guardrail, 150 SY remove & replace conc slope protect, 9 CY select demolition, 20 SY remove & replace slope protect, 280 SF remove & replace exist portion of existing conc, 300 LF remove & reset cable hand rail, 240 LF remove & replace chain link fence.(XL-3366)(109051S)(10A004)(7925)(3 of 4)

- *2. (YAKIMA, BENTON, WALLA WALLA) **2010 REGION WIDE CHIP SEAL** (CL 3, \$2,000,000 - \$2,500,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 8%.** F.A. No. STPF-9999(579) on US 12 ET AL. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Bituminous surface treatment, asphalt for fog seal, HMA for preleveling, flexible guide posts, plastic pavement markings, centerline rumble strips, traffic control and other work. 55 Working days. Involves 37 items. 1738 T asph emulsion CRS-2P, 8440 T furnish and place crushed screen, 2314 T HMA CL 3/8 IN PG 64-28, 2331 EA flex guide post, 24950 LF centerline rumble strip, 245668 LF temp pvmt marking, 1952 SF const signs CL A. Lump Sum Bids for: Temp traffic control, SPCC plan. (XL-3743)(501205Q)(10Y002)(7933)(2 of 3)

BID OPENING WEDNESDAY, APRIL 28, 2010

- *1. (SNOHOMISH) **LUNDEEN PARKWAY TO SR 92 INTERSECTION IMPROVEMENTS AND WIDENING** (CL 1 or 6, Under \$20,000,000) **CONTAINS VOLUNTARY MWBE GOAL: 13%.** A State Project on SR 9, MP 16.12 to MP 17.67. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Grading, surfacing, paving with hot mix asphalt, structure excavation, shoring, embankment compaction, soldier pile walls, detention pond structure, drainage systems, pavement marking, landscaping, illumination, traffic signal systems, intelligent transportation system, permanent signing, guardrail, concrete traffic barrier, erosion control, traffic control and other work. 180 Working days. Involves 221 items. 79010 CY rdwy excav incl haul, 7280 CY unsuitable foundation excav incl haul, 55560 T gravel borrow incl haul, 18150 CY embank comp, 11900 CY pond embank comp, 1704 CY ditch excav incl haul, 391 T quarry spalls, 369 LF CL V reinf conc culv pipe, 388 LF temp culv pipe, 63 EA catch basin, 6180 LF test storm sewer pipe, 5737 LF sch A storm sewer pipe, 1520 CY struct excav CL A incl haul, 1124 CY gravel backfill, 5141 LF shaft, 7880 LF furnish soldier pile, 19032 LB st rebar, 253 CY conc CL 4000, 21113 SF precast conc panels, 147 EA perm ground anchor, 17050 T crushed surface base course, 19367 T HMA CL 1/2 IN PG 64-22, 8030 LF silt fence, 20409 LF compost sock, 1220 LF temp curb, 7 ACRE mulch, 507 CY topsoil, 4387 EA baldhip rose, 1889 EA beaked hazelnut, 2002 EA douglas fir, 2182 EA elderberry, 26434 EA salal, 5103 EA scoulers willow, 5110 EA snowberry, 2025 EA western red cedar, 3410 CY coarse compost, 3018 CY bark or wood chip mulch, 7730 LF high visibility fence, 4572 LF extruded curb, 2761 LF beam guardrail, 3305 LF precast conc barrier, 10425 LF temp conc barrier, 23935 LF paint line, 18130 LF profiled plastic line, 14 HUND raised pvmt marker, 144920 LF temp pvmt marking, 690 LF directional boring, 796 SF const signs CL A, 8735 CY struct excav CL B incl haul, 35803 SF shoring or extra excav CL B, 2400 T pipe zone backfill, 19 EA cement conc sidewalk ramp, 2762 LF chain link fence, 7770 LF wire fence, 10920 SY const geotextile. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Temp stream bypass, dispersion trenches, trench drain, shoring or extra excav CL A, perm ground anchor verification test, detention pond vault, stormwater vault mod, perm signing, illum sys, traffic data accumulation and ramp meter sys, temp traffic signal sys, traffic signal sys, CCTV, communication conduit sys, communication cables & interfaces, video, voice & data dist & trans sys, temp traffic control, cure box, struct survey, field office bldg, abandonment of piezometer, SPCC plan. (XL-3041)(100917G)(09A009)(7920)(4 of 6)

- *2. (PIERCE) **TACOMA NARROWS BRIDGE – ELECTRICAL** (CL 16, \$2,000,000 - \$2,500,000) F.A. No. NH-0016(017) on SR 16, MP 7.28 to MP 8.41. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Installing a new 480V AC 3-phase electrical service, converting the electrical system and power distributions, 160V to 480V AC through the installation of new electrical system components, including conduit, brackets, junction boxes, installing new lighting contactors and replacement of portions of conduit and wiring, new navigation lights, with repairs to the paint system where electrical work is performed, traffic control and other work. 160 Working days. Involves 27 items. 21860 LF conduit pipe. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Clean& paint exist struct, Comcast utility work, electrical sys, lighting sys rehab, perm signing, temp traffic control, navigation lighting sys, fire alarm sys, phone sys, SPCC plan. (XL-1612)(301622E)(09C527)(7929)(2 of 4)
- *3. (FRANKLIN & WALLA WALLA) **BURBANK VICINITY – PAVING** (CL 4, \$750,000 - \$1,000,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 7%.** F.A. No. STPF-0124(015) on US 12, MP 294.06 to MP 295.24 and SR 124, MP 0.36 to MP 1.10. Requires: Grading, surfacing, asphalt concrete pavement, beam guardrail, pavement marking, permanent signing, traffic control and other work. 25 Working days. Involves 43 items. 650 CY rdwy excav incl haul, 730 T crushed surface base course, 5 MI shoulder finish, 6220 SY plane bit pvmt, 8290 T HMA CL 1/2 IN PG 64-28, 601 LF beam guardrail, 1639 LF raise exist beam guardrail, 43910 LF paint line, 14130 LF temp pvmt marking, 288 SF const sign CL A. Lump Sum Bids for: Perm signing, temp traffic control, SPCC plan.(XL-3694)(501213G)(10Y004)(7931) (2 of 4)

BID OPENING WEDNESDAY, MAY 5, 2010

- *1. (KITSAP) **MANETTE BRIDGE 303/4A – BRIDGE REPLACEMENT** (CL 6, \$30,000,000 - \$45,000,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 7%.** F.A. No. BR-0303(005) in the City of Bremerton. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Removing an existing steel girder and steel truss bridge, construction a prestressed, post-tensioned concrete girder bridge, shafts, piers, abutments and superstructure, reconstructing an intersection and constructing a roundabout, in-water bridge construction & demolition, wall construction, grading, drainage, surfacing, paving with hot mix asphalt, illumination systems, pavement markings, roadside seeding and planting, permanent signing, traffic control and other work. 357 Working days. Involves 211 items. 1050 CY rdwy excav incl haul, 5960 T gravel borrow incl haul, 30 EA streambed boulder, 16 EA catch basin, 835 LF solid wall pvc storm sewer pipe, 1148 LF ductile iron sewer pipe, 175 LF PVC sanitary sewer pipe, 2117 LF ductile iron pipe, 4780 CY soil excav incl haul, 547 LF furnish perm casing, 12 EA place perm casing, 113 LF casing shoring, 2310600 LB epoxy-coated st rebar, 1889000 LB st rebar, 16700 LF CSL access tube, 5340 CY conc CL 4000, 5820 CY conc CL 4000P, 6070 LF prestressed conc girder, 32 EA high-load elastomeric bearing pad, 3200 LF bridge rail, 227 LF st walkway rail, 1600 LF traffic barrier, 1600 LF pedestrian barrier, 2241 SF struct earth wall, 290 SY bridge approach slab, 967 T HMA CL 1/2 IN PG 64-22, 622 SY stabilized const entrance, 1330 LF silt fence, 100 EA hebe, 22 EA flame grass, 300 EA Indian plum, 300 EA nootka rose, 150 EA evergreen huckleberry, 290 CY fine compost, 290 CY bark or wood chip mulch, 400 SY sod install, 623 LF cement conc traffic curb & gutter, 4020 LF paint line, 8 HUND raised pvmt marker, 69 LF furnish perm casing, 11 EA install perm casing, 8924 LF conduit pipe, 1011 SF const signs CL A , 2519 CY struct excav CL B incl haul, 8760 SF shoring or extra excav CL B, 631 SY cement conc sidewalk, 472 SY viewscape cement conc sidewalk, 96 SY patterned & pigmented conc, 4600 HR training. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Infiltration gallery, shoring or extra excav CL A, barrier XBM wall & girder closure form test section, mod expansion jnt sys, irrigation sys, seeding, perm signing, illum sys, traffic signal sys, temp traffic control, pedestrian control & protect, cure box, struct survey, navigation lighting sys, clean exist drain struct, field office bldg, health & safety plan, SPCC plan. **SUPERSTRUCTURE INCLUDES:** 711500 LB epoxy-coated st rebar, 38300 LB st rebar, 1990 CY conc CL 4000D, 1120 CY conc CL 4000, 293000 LB prestressed conc girder post-tensioning reinforcement, 52 EA transverse elastomeric girder stop pad, 1 EA valve box casting, 6 EA bridge deck drain assembly, 2520 LB insert for bridge deck drainage sys & bridge utility support.(0L-2829)(330311A)(09C526)(7926)(3 of 6)

2. (KING & SNOHOMISH) **VARIABLE MESSAGE SIGNS – REPLACEMENT** (CL 9, \$750,000 - \$1,000,000) **CONTAINS VOUNTARY MWBE GOAL: 2%.** A State Project on I-5, MP 155.95 to MP 183.53. Requires: Inlet protection, silt fence, seeding, fertilizing, mulching, variable message sign, communication conduit system, communication cables & interfaces, video voice & data distribution & transmission system, directional boring, static sign vertical supports replacement, traffic control and other work. 45 Working days. Involves 23 items. 300 LF directional boring. Lump Sum Bids for: Variable message sign, communication conduit sys, communication cables & interfaces, video voice & data dist & transmission sys, static sign vertical supports replacement, temp traffic control, health & safety plan, SPCC plan.(XL-3645) (100521Q)(10A002)(7934)(1 of 4)

BID OPENING WEDNESDAY, MAY 12, 2010

1. (KITITAS)**KEECHELUS DAM TO CABIN CREEK WB – PAVING** (CL 4, \$2,000,000 - \$3,000,000) **CONTAINS VOLUNTARY MWBE GOAL: 9%.** A State Project on I-90, MP 60.22 to MP 64.22. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Planing bituminous pavement, paving with hot mix asphalt, beam guardrail, pavement marking, rumble strips, permanent signing, traffic control and other work. 35 Working days. Involves 51 items. 8 MI shoulder finish, 1760 SY plane bit pvmt, 8950 T HMA CL 3/8 IN PG 64-28, 10740 T HMA CL 1/2 IN PG 64-28, 42084 LF jnt adhesive, 2629 LF weathering st beam guardrail, 11 EA beam guardrail non-flared term, 45370 LF paint line, 21040 LF grooved plastic line, 8 MI shoulder rumble strip, 42080 LF temp pvmt marking, 12 EA riser ring. Lump Sum Bids for: Perm signing, illum sys, temp traffic control, SPCC plan.(XL-3728)(509006D)(10Y003)(7935) (1 of 5)

Paula J. Hammond, P.E.
Secretary of Transportation

* Previously Advertised
** Extended
*** Revised

Projects awarded the week of March 29, 2010

(Grays Harbor, Jefferson) State Hyws in Grays Harbor and W Jefferson Counties BST Overlay - #7907 – Columbia Asphalt & Gravel, Inc., Parker, WA 98939 - \$1,122,334.95

(Douglas) S. of Chelan Falls Passing Lanes and Seal - #7906 – Granite Northwest, Inc., Wenatchee, WA 98802- 8004 - \$1,622,622.00